

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022 Version number 3 Revision: 16.11.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertakina

- · 1.1 Product identifier
 - · Trade name: Charisma Flow
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Dental filling material
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- · Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
 - Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

triethylen glycol dimethacrylate

methyl methacrylate

Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P280 Wear protective gloves / eye protection.

P280 Wear protective clothing.

P302+P352 IF ON SKIN: Wash with plenty of soap and water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

· 2.3 Other hazards -

Results of PBT and vPvB assessment

PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description: Product based on methacrylates

(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022 Version number 3 Revision: 16.11.2022

Trade name: Charisma Flow

| | (C | ontd. of page 1) |
|---|--|------------------|
| · Dangerous components: | | |
| CAS: 109-16-0 EINECS: 203-652-6 Reg.nr.: 01-2119969287-21-xxx | triethylen glycol dimethacrylate Skin Sens. 1B, H317 x | ≥10-≤25% |
| CAS: 41637-38-1 EC number: 609-946-4 | bisphenol a polyethylene glycol diether dimethacrylate Aquatic Chronic 4, H413 | ≥0-≤5% |
| CAS: 131-57-7 EINECS: 205-031-5 | Oxybenzone Aquatic Acute 1, H400; Aquatic Chronic 2, H411 | ≥0.25-<1% |
| CAS: 80-62-6 EINECS: 201-297-1 | methyl methacrylate Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335 | ≥0.1-<1% |

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - General information Instantly remove any clothing soiled by the product.
 - · After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
 - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
 - Protective equipment: No special measures required.
 - Additional information -

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Do not allow to enter the ground/soil.

(Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022 Version number 3 Revision: 16.11.2022

Trade name: Charisma Flow

(Contd. of page 2)

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

6.4 Reference to other sections

See Section 13 for information on disposal.

See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Wear protective equipment. Keep unprotected persons away.

Please observe the additional instructions in the product's instructions for use.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - - Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Store cool (not above 25 °C).
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

DAIEL

Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Not required.

| · DNI | ELs | |
|---|---|-----------------------------|
| 109-16-0 triethylen glycol dimethacrylate | | |
| Oral | general population, long term, systemic | 8.33 mg/Kg (not defined) |
| Dermal | worker industrial, long term, systemic | 13.9 mg/Kg/d (not defined) |
| | general population, long term, systemic | 8.33 mg/Kg/d (not defined) |
| Inhalative | worker industrial, long term, systemic | 48.5 mg/m3 (not defined) |
| | general population, long term, systemic | 14.5 mg/m3 (not defined) |
| 131-57-7 | Oxybenzone | |
| Oral | general population, long term, systemic | 2 mg/Kg (not defined) |
| Dermal | worker industrial, long term, systemic | 39 mg/Kg/d (not defined) |
| | general population, long term, systemic | 20 mg/Kg/d (not defined) |
| Inhalative | worker industrial, long term, systemic | 27.7 mg/m3 (not defined) |
| | general population, long term, systemic | 6.8 mg/m3 (not defined) |
| 80-62-6 m | ethyl methacrylate | |
| Oral | general population, long term, systemic | 8.2 mg/Kg (not defined) |
| Dermal | worker industrial, long term, systemic | 13.67 mg/Kg/d (not defined) |
| | general population, long term, systemic | 8.2 mg/Kg/d (not defined) |
| Inhalative | worker industrial, acute, local | 416 mg/m3 (not defined) |
| | worker industrial, long term, systemic | 348.4 mg/m3 (not defined) |
| | worker industrial, long term, local | 208 mg/m3 (not defined) |
| | | (Contd. on page 4 |



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022 Version number 3 Revision: 16.11.2022

Trade name: Charisma Flow

| | (Contd. of page |
|--|---|
| general population, acute | |
| general population, long | term, systemic 74.3 mg/m3 (not defined) |
| · PNECs | |
| 109-16-0 triethylen glycol dimetha | acrylate |
| freshwater | 0.016 mg/l (not defined) |
| marine water | 0.002 mg/l (not defined) |
| sewage treatment plant | 1.7 mg/l (not defined) |
| sediment, dry weight, freshwater | 0.185 mg/Kg (not defined) |
| sediment, dry weight, marine water | 0.018 mg/Kg (not defined) |
| soil, dry weight | 0.027 mg/Kg (not defined) |
| 131-57-7 Oxybenzone | |
| freshwater | 0.00067 mg/l (not defined) |
| marine water | 0.000067 mg/l (not defined) |
| sewage treatment plant | 10 mg/l (not defined) |
| sediment, dry weight, freshwater | 0.066 mg/Kg (not defined) |
| sediment, dry weight, marine water 0.007 mg/Kg (not defined) | |
| soil, dry weight | 0.013 mg/Kg (not defined) |
| 80-62-6 methyl methacrylate | |
| freshwater | 0.94 mg/l (not defined) |
| marine water | 0.094 mg/l (not defined) |
| sewage treatment plant | 10 mg/l (not defined) |
| sediment, dry weight, freshwater | 10.2 mg/Kg (not defined) |
| sediment, dry weight, marine water | 0.102 mg/Kg (not defined) |
| soil, dry weight | 1.48 mg/Kg (not defined) |

[·] Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not necessary if room is well-ventilated.
- Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Solvent resistant gloves

Check protective gloves prior to each use for their proper condition. recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022 Version number 3 Revision: 16.11.2022

Trade name: Charisma Flow

(Contd. of page 4)

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

Eye/face protection Safety glasses

Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical state

Colour: Different according to colour

· Smell: Characteristic Odour threshold: Not determined. • Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range Not determined · Flammability Not applicable. · Lower and upper explosion limit

Lower: Not determined. · Upper: Not determined.

>150 °C (109-16-0 triethylen glycol Flash point:

dimethacrylate)

· Decomposition temperature: Not determined.

SADT

pН Not determined.

Viscosity:

· Kinematic viscosity Not determined. Not determined. · dynamic:

Solubility

Water: Not miscible or difficult to mix

· Partition coefficient n-octanol/water (log

Not determined. value) Steam pressure: Not determined.

Density and/or relative density

· Density at 20 °C 1.8 g/cm3 Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information No further relevant information available.

· Appearance:

Form: Pastv

· Important information on protection of health and environment, and on safety.

· Self-inflammability: Product is not selfigniting. Explosive properties: Product is not explosive.

Change in condition · Evaporation rate Not determined.

(Contd. on page 6)



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022 Version number 3 Revision: 16.11.2022

Trade name: Charisma Flow

(Contd. of page 5)

| classes | |
|---|------|
| Explosives | Void |
| · Flammable gases | Void |
| · Aerosols | Void |
| · Oxidising gases | Void |
| · Gases under pressure | Void |
| Flammable liquids | Void |
| Flammable solids | Void |
| · Self-reactive substances and mixtures | Void |
| · Pyrophoric liquids | Void |
| Pyrophoric solids | Void |
| · Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit | |
| flammable gases in contact with water | Void |
| · Oxidising liquids | Void |
| Oxidising solids | Void |
| · Organic peroxides | Void |
| · Corrosive to metals | Void |
| · Desensitised explosives | Void |

· Information with regard to physical hazard

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
 - · Additional information:

If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/ | LC50 valu | es that are relevant for classification: |
|------------|---------------------|--|
| 109-16-0 | triethylen | glycol dimethacrylate |
| Oral | LD50 | 8,300 mg/kg (rat) |
| Dermal | LD50 | >2,000 mg/kg (mouse) |
| 131-57-7 (| 131-57-7 Oxybenzone | |
| Oral | LD50 | >12,800 mg/kg (rat) (OECD 401) |
| Dermal | LD50 | >16,000 mg/kg (rabbit) (OECD 402) |
| 80-62-6 m | ethyl met | hacrylate |
| Oral | LD50 | ~7,900 mg/kg (rat) |
| Dermal | LD50 | >5,000 mg/kg (guinea pig) (OECD 402) |
| Inhalative | LC50/4 h | 29.8 mg/l (rat) |
| - | | (Contd. on page 7) |

(Contd. on page 7)



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022 Version number 3 Revision: 16.11.2022

Trade name: Charisma Flow

(Contd. of page 6)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Guinea-Pig Maximisation Test (OECD 406): negative Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
 - Endocrine disrupting properties

None of the ingredients is listed.

| 12.1 Toxicity | • | |
|-----------------------|--------------------------------------|--|
| Aquatic toxicity: | | |
| 65997-17-3 Glaspulver | | |
| EC50/72h | >1,000 mg/l (daphnia) | |
| LC50/96h | >1,000 mg/l (fish) | |
| ErC50 / 72 h | >1,000 mg/l (algae) | |
| NOEC / 72h | 1,000 mg/l (algae) | |
| | 1,000 mg/l (daphnia) | |
| 109-16-0 trie | thylen glycol dimethacrylate | |
| EC50/21d | 51.9 mg/L (daphnia) (OECD 211) | |
| LC50/96h | 16.4 mg/l (fish) (OECD 203) | |
| NOEC / 21d | 32 mg/l (daphnia) (OECD 211) | |
| ErC50 / 72 h | >100 mg/l (algae) (OECD 201) | |
| NOEC / 72h | 18.6 mg/l (algae) (OECD 201) | |
| EbC50 / 72h | 72.8 mg/l (algae) (OECD 201) | |
| 131-57-7 Oxy | /benzone | |
| EC50/48h | 1.87 mg/l (daphnia) (OECD 202) | |
| LC50/96h | 3.8 mg/l (fish) (OECD 203) | |
| ErC50 / 72 h | 0.67 mg/l (algae) (OECD 201) | |
| NOEC / 72h | 0.18 mg/l (algae) (OECD 201) | |
| NOEC / 96h | 0.72 mg/l (fish) (OECD 203) | |
| NOEC / 48h | 1.15 mg/l (daphnia) (OECD 202) | |
| 80-62-6 meth | nyl methacrylate | |
| EC50/21d | 49 mg/L (daphnia) (OECD 211) | |
| EC50/48h | 69 mg/l (daphnia) (EPA OTS 797.1300) | |
| NOEC / 21d | 37 mg/l (daphnia) (OECD 211) | |
| ErC50 / 72 h | >110 mg/l (algae) (OECD 201) | |
| NOEC / 72h | 110 mg/l (algae) (OECD 201) | |
| NOEC / 48h | 48 mg/l (daphnia) (EPA OTS 797.1300) | |
| EbC50 / 72h | >110 mg/l (algae) (OECD 201) | |
| NOEC/ 35d | 9.4 mg/L (fish) (OECD 210) | |



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022 Version number 3 Revision: 16.11.2022

Trade name: Charisma Flow

| | (Contd. of page 7) |
|------------------|--|
| LC50/35d 3 | 3.7 mg/L (fish) (OECD 210) |
| · 12.2 Persisten | ce and degradability |
| 109-16-0 trieth | ylen glycol dimethacrylate |
| Biodegradation | 85 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C) |
| 131-57-7 Oxyb | |
| Biodegradation | 60-70 % /28d (not defined) |
| 80-62-6 methy | |
| Biodegradation | 94 % /14d (not defined) (OECD 301C) |
| 12.3 Bioaccum | ulative potential |
| 131-57-7 Oxyb | enzone |
| Bloconcentration | n factor (BCF) >33-<160 (fish) (OECD 305) |
| | |

- 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment
- - PBT: Not applicable.
 - vPvB: Not applicable.

• 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- 12.7 Other adverse effects

 - Additional ecological information:
 General notes: Avoid transfer into the environment.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage

Disposal must be made according to official regulations.

- · European waste catalogue
- 18 01 06 chemicals consisting of or containing dangerous substances
 - · Uncleaned packagings:
 - **Recommendation:** Disposal must be made according to official regulations.

| SECTION 14: Transport informat | ion | |
|--|------|---------------|
| 14.1 UN number or ID number ADR, ADN, IMDG, IATA | Void | |
| 14.2 UN proper shipping name ADR, ADN, IMDG, IATA | Void | |
| · 14.3 Transport hazard class(es) | | |
| · ADR, ADN, IMDG, IATA · Class | Void | |
| · 14.4 Packing group · ADR, IMDG, IATA | Void | |
| | | (Contd. on pa |



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022 Version number 3 Revision: 16.11.2022

Trade name: Charisma Flow

(Contd. of page 8)

· 14.5 Environmental hazards:

Marine pollutant: No

· 14.6 Special precautions for user Not applicable.

· 14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

· Transport/Additional information:

· UN "Model Regulation": Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or

No further relevant information available.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

· Date of previous version: 16.11.2022

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement ACCOTA Tetatif at transport international des marchandises dangere Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Service (division of the American Chemical Service)

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

* Data compared to the previous version altered.