



**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 15.11.2022

Version number 4 (replaces version 3)

Revision: 15.11.2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

· **1.1 Product identifier**

· Trade name: **iBOND Etch 35 Gel**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.

· **Application of the substance / the mixture** dental etching agent

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

· **Informing department:** E-Mail: [msds@kulzer-dental.com](mailto:msds@kulzer-dental.com)

· **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

**SECTION 2: Hazards identification**

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labelling:**

orthophosphoric acid

· **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· **Precautionary statements**

P234 Keep only in original packaging.

P280 Wear protective gloves / eye protection.

P280 Wear protective clothing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

· **2.3 Other hazards -**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.



**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 15.11.2022

Version number 4 (replaces version 3)

Revision: 15.11.2022

**Trade name: iBOND Etch 35 Gel**

(Contd. of page 1)

**SECTION 3: Composition/information on ingredients**

· **3.2 Mixtures**

· **Description:** -

· **Dangerous components:**

CAS: 7664-38-2 EINECS: 231-633-2	orthophosphoric acid Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	25-50%
-------------------------------------	--	--------

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**

· **4.1 Description of first aid measures**

· **General information** Instantly remove any clothing soiled by the product.

· **After inhalation** Supply fresh air; consult doctor in case of symptoms.

· **After skin contact**

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact**

Rinse opened eye for several minutes under running water. Then consult doctor.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures**

· **5.1 Extinguishing media**

· **Suitable extinguishing agents**

CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· **5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

· **5.3 Advice for firefighters**

· **Protective equipment:** No special measures required.

· **Additional information** -

**SECTION 6: Accidental release measures**

· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or water bodies.

Do not allow to enter the ground/soil.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

(Contd. on page 3)



**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 15.11.2022

Version number 4 (replaces version 3)

Revision: 15.11.2022

**Trade name: iBOND Etch 35 Gel**

Send for recovery or disposal in suitable containers.

(Contd. of page 2)

**6.4 Reference to other sections**

See Section 13 for information on disposal.

See Section 8 for information on personal protection equipment.

-

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Keep containers tightly sealed.

Please observe the additional instructions in the product's instructions for use.

· **Information about protection against explosions and fires:** No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and containers:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** None.

**7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

· **Components with critical values that require monitoring at the workplace:**

**7664-38-2 orthophosphoric acid**

OEL Short-term value: 2 mg/m<sup>3</sup>

Long-term value: 1 mg/m<sup>3</sup>

IOELV

· **Additional information:** The lists that were valid during the compilation were used as basis.

**8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· **Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.

· **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition.

recommended

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)



**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 15.11.2022

Version number 4 (replaces version 3)

Revision: 15.11.2022

**Trade name: iBOND Etch 35 Gel**

(Contd. of page 3)

- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**  
Butyl rubber, BR  
Nitrile rubber, NBR
- **Eye/face protection** Tightly sealed safety glasses.
- **Body protection:** Light weight protective clothing

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

- **Physical state** Fluid
- **Colour:** Blue
- **Smell:** Odourless
  - **Odour threshold:** Not determined.
- **Melting point/freezing point:** Not determined
- **Boiling point or initial boiling point and boiling range** 100 °C
- **Flammability** Not applicable.
- **Lower and upper explosion limit**
  - **Lower:** Not determined.
  - **Upper:** Not determined.
- **Flash point:** Not applicable
- **Decomposition temperature:** Not determined.

· **SADT**

- **pH at 20 °C** 0.3
- **Viscosity:**
  - **Kinematic viscosity** Not determined.
  - **dynamic:** Not determined.
- **Solubility**
  - **Water:** Fully miscible
- **Partition coefficient n-octanol/water (log value)** Not determined.
- **Steam pressure at 20 °C:** 23 hPa
- **Density and/or relative density**
  - **Density at 20 °C** 1.2 g/cm<sup>3</sup>
  - **Relative density** Not determined.
  - **Vapour density** Not determined.

· **9.2 Other information**

No further relevant information available.

- **Appearance:**
  - **Form:** Pasty
- **Important information on protection of health and environment, and on safety.**
  - **Self-inflammability:** Product is not selfigniting.
  - **Explosive properties:** Product is not explosive.
- **Change in condition**
  - **Evaporation rate** Not determined.

(Contd. on page 5)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 15.11.2022

Version number 4 (replaces version 3)

Revision: 15.11.2022

**Trade name: iBOND Etch 35 Gel**

(Contd. of page 4)

**Information with regard to physical hazard classes**

· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	
<i>May be corrosive to metals.</i>	
· <b>Desensitised explosives</b>	Void

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
  - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** None

**SECTION 11: Toxicological information**

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
  - **Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values that are relevant for classification:**

**7664-38-2 orthophosphoric acid**

Oral	LD50	1,530 mg/kg (rat)
Dermal	LD50	2,740 mg/kg (can)
Inhalative	LC50/4 h	>850 mg/l (rat)

**112926-00-8 amorphous silica**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC0/4h	≥5.01 mg/L (rat) (OECD 436)

- **Skin corrosion/irritation**  
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**  
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

(Contd. on page 6)



**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 15.11.2022

Version number 4 (replaces version 3)

Revision: 15.11.2022

**Trade name: iBOND Etch 35 Gel**

(Contd. of page 5)

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

### SECTION 12: Ecological information

- **12.1 Toxicity**
  - **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
  - **Additional ecological information:**
    - **General notes:** Avoid transfer into the environment.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
  - **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
Disposal must be made according to official regulations.
- **European waste catalogue**

18 01 06*	chemicals consisting of or containing dangerous substances
-----------	--
- **Uncleaned packagings:**
  - **Recommendation:** Disposal must be made according to official regulations.
  - **Recommended cleaning agent:** Water, if necessary with cleaning agent.

### SECTION 14: Transport information

- **14.1 UN number or ID number**
  - **ADR, IMDG, IATA** UN1805
- **14.2 UN proper shipping name**
  - **ADR** 1805 PHOSPHORIC ACID, SOLUTION
  - **IMDG, IATA** PHOSPHORIC ACID, SOLUTION

(Contd. on page 7)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 15.11.2022

Version number 4 (replaces version 3)

Revision: 15.11.2022

**Trade name: iBOND Etch 35 Gel**

(Contd. of page 6)

**· 14.3 Transport hazard class(es)**

**· ADR**



**· Class** 8 (C1) Corrosive substances.  
**· Label** 8

**· IMDG, IATA**



**· Class** 8 Corrosive substances.  
**· Label** 8

**· 14.4 Packing group**

**· ADR, IMDG, IATA** III

**· 14.5 Environmental hazards:**

**· Marine pollutant:** No

**· 14.6 Special precautions for user**

Warning: Corrosive substances.

**· Kemer Number:** 80  
**· EMS Number:** F-A,S-B  
**· Segregation groups** Acids  
**· Stowage Category** A

**· 14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

**· Transport/Additional information:** -

**· ADR**

**· Limited quantities (LQ)** 5L  
**· Excepted quantities (EQ)** Code: E1  
Maximum net quantity per inner packaging:  
30 ml  
Maximum net quantity per outer packaging:  
1000 ml  
**· Transport category** 3  
**· Tunnel restriction code** E

**· IMDG**

**· Limited quantities (LQ)** 5L  
**· Excepted quantities (EQ)** Code: E1  
Maximum net quantity per inner packaging:  
30 ml  
Maximum net quantity per outer packaging:  
1000 ml

**· UN "Model Regulation":** UN 1805 PHOSPHORIC ACID, SOLUTION, 8, III

(Contd. on page 8)



**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 15.11.2022

Version number 4 (replaces version 3)

Revision: 15.11.2022

**Trade name: iBOND Etch 35 Gel**

(Contd. of page 7)

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
  - **Directive 2012/18/EU**
    - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
  - **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
  - H290 May be corrosive to metals.
  - H302 Harmful if swallowed.
  - H314 Causes severe skin burns and eye damage.
  - H318 Causes serious eye damage.
- **Date of previous version:** 01.02.2022
- **Version number of previous version:** 3
- **Abbreviations and acronyms:**
  - SADT: Self Accelerating Decomposition Temperature
  - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - vPvB: very Persistent and very Bioaccumulative
  - Met. Corr. 1: Corrosive to metals – Category 1
  - Acute Tox. 4: Acute toxicity – Category 4
  - Skin Corr. 1B: Skin corrosion/irritation – Category 1B
  - Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- **\* Data compared to the previous version altered.**

IE