

Page 1/11

Revision: 17.12.2024

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.12.2024

Version number 4 (replaces version 3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
 - · Trade name: iBond Universal
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Dental bonding material
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

· Informing department: E-Mail: msds@kulzer-dental.com

· 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008

H225 Highly flammable liquid and vapour. Flam. Liq. 2

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H336 May cause drowsiness or dizziness.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
 - Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate acetone

4-methacryloxyethyltrimellitic acid anhydride

· Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)



Page 2/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.12.2024 Version number 4 (replaces version 3) Revision: 17.12.2024

Trade name: iBond Universal

· Precautionary statements

(Contd. of page 1)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P261 Avoid breathing mist/vapours/spray.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/

hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

· Additional information:

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

· 2.3 Other hazards -

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description: -

· Dangerous components:		
CAS: 67-64-1 EINECS: 200-662-2 Index number: 606-001-00-8 Reg.nr.: 01-2119471330-49-xxxx	acetone Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336 EUH066	25-50%
CAS: 72869-86-4 EINECS: 276-957-5 Index number: 607-134-00-4 Reg.nr.: 01-2120751202-68-xxxx	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate Aquatic Chronic 2, H411 Skin Sens. 1B, H317 EUH204	≥10-<25%
CAS: 70293-55-9	4-methacryloxyethyltrimellitic acid anhydride Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	10-25%

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

After inhalation

Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position for transport.

· After skin contact If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

(Contd. on page 3)



Page 3/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.12.2024 Version number 4 (replaces version 3) Revision: 17.12.2024

Trade name: iBond Universal

(Contd. of page 2)

· After swallowing

Rinse out mouth and then drink plenty of water. In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents Water with a full water jet.

5.2 Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

· Protective equipment: No special measures required.

· Additional information -

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

Ensure adequate ventilation.

Send for recovery or disposal in suitable containers.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Keep containers tightly sealed.
 - Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
 - Storage
 - Requirements to be met by storerooms and containers: Store in cool location.
 - · Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions:

Keep receptacle tightly sealed.

(Contd. on page 4)



Page 4/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.12.2024 Version number 4 (replaces version 3) Revision: 17.12.2024

Trade name: iBond Universal

(Contd. of page 3)

Protect from the effects of light.
Store in cool, dry conditions in well sealed containers.
• 7.3 Specific end use(s) No further relevant information available.

8.1 Contro	ol parameters			
		lues that require	e monitoring at the workplace:	
67-64-1 ad	cetone	-		
OEL (Irela	nd) Long-te IOELV	erm value: 1210 r	mg/m³, 500 ppm	
IOELV (Eu	ıropean Union) Long-te	erm value: 1210 r	mg/m³, 500 ppm	
· DNI	ELs			
67-64-1 ad	cetone			
Oral	general population, lor	g term, systemic	62 mg/Kg (not defined)	
Dermal	worker industrial, long	term, systemic	186 mg/Kg/d (not defined)	
	general population, lor	g term, systemic	62 mg/Kg/d (not defined)	
Inhalative	worker industrial, long	term, systemic	1,210 mg/m3 (not defined)	
	worker industrial, long	term, local	2,420 mg/m3 (not defined)	
	general population, lor	g term, systemic	200 mg/m3 (not defined)	
72869-86-	4 7,7,9(or 7,9,9)-trin bismethacrylate	ethyl-4,13-dio	xo-3,14-dioxa-5,12-diazahexadecane-1,16-di	
Oral	general population, lor	g term, systemic	0.3 mg/Kg (not defined)	
Dermal	worker industrial, long	term, systemic	1.3 mg/Kg/d (not defined)	
	general population, lor	g term, systemic	0.7 mg/Kg/d (not defined)	
Inhalative	worker industrial, long	term, systemic	3.3 mg/m3 (not defined)	
	general population, lor	g term, systemic	0.6 mg/m3 (not defined)	
· PNI	ECs			
67-64-1 ad	cetone			
freshwate	•	10.6 mg/l (not	defined)	
marine water		1.06 mg/l (rab	1.06 mg/l (rabbit)	
sewage treatment plant		19.5 mg/l (not	19.5 mg/l (not defined)	
sediment, dry weight, freshwater		30.4 mg/Kg (n	30.4 mg/Kg (not defined)	
sediment, dry weight, marine water		er 3.04 mg/Kg (n	3.04 mg/Kg (not defined)	
soil, dry w		0.112 mg/Kg (
72869-86-	4 7,7,9(or 7,9,9)-trin bismethacrylate	nethyl-4,13-dio	xo-3,14-dioxa-5,12-diazahexadecane-1,16-di	
freshwate	•	0.01 mg/l (not	,	
marine wa	ter	0.001 mg/l (no	ot defined)	
sewage tre	eatment plant	3.61 mg/l (not	defined)	
sediment	dry weight, freshwater	4.56 mg/Kg (n	not defined)	



Page 5/11

Safety data sheet according to 1907/2006/EC, Article 31

Version number 4 (replaces version 3) Revision: 17.12.2024 Printing date 17.12.2024

Trade name: iBond Universal

(Contd. of page 4)

sediment, dry weight, marine water 0.46 mg/Kg (not defined) soil, dry weight 0.91 mg/Kg (not defined)

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures

Avoid contact with the eyes.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Check protective gloves prior to each use for their proper condition.

recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

- · Eye/face protection Tightly sealed safety glasses.
- Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

- **General Information**
 - Physical state
 - · Colour:
 - · Smell:
 - - Odour threshold:

• Melting point/freezing point:

Fluid Clear

Characteristic

Not determined.

Not determined

(Contd. on page 6)



Page 6/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.12.2024 Version number 4 (replaces version 3) Revision: 17.12.2024

Trade name: iBond Universal

(Contd. of page 5)

· Boiling point or initial boiling point and

boiling range 55 °C

Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined. Upper: Not determined.

Flash point: 1.5 °C

Decomposition temperature: Not determined.

· pH · Viscosity: Not determined.

· Kinematic viscosity Not determined.

· Kinematic viscosity

Not determined. · dynamic:

Solubility

Partly miscible Water:

Partition coefficient n-octanol/water (log

Not determined. value) Not determined.

· Steam pressure: Vapour pressure:

Density and/or relative density

Density at 20 °C 0.99 g/cm3 Not determined. Relative density · Vapour density Not determined.

9.2 Other information No further relevant information available.

Appearance:

Form: Liquid

· Important information on protection of health

and environment, and on safety.

· Self-inflammability: Product is not selfianiting.

Product is not explosive. However, formation of · Explosive properties:

explosive air/vapour mixtures is possible.

· Solvent content:

19.0 % · Water: 19.1 % · Solids content:

· Change in condition

Not determined. Evaporation rate

· Information with regard to physical hazard

classes

Explosives Void Flammable gases Void Void · Aerosols · Oxidising gases Void · Gases under pressure Void

Flammable liquids Highly flammable liquid and vapour.

· Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void

(Contd. on page 7)



Page 7/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.12.2024 Version number 4 (replaces version 3) Revision: 17.12.2024

Trade name: iBond Universal

		(Contd. of page 6)
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
 - · Conditions to be avoided: Protect from heat and direct sunlight.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
 - · Additional information: -

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
 - · Acute toxicity Based on available data, the classification criteria are not met.

· LD/	LC50 valu	es that are relevant for classification:
67-64-1 ad	cetone	
Oral	LD50	5,800 mg/kg (rat)
Dermal	LD50	>15,800 mg/kg (rabbit)
Inhalative	LC50/4 h	76 mg/l (rat)
72869-86-		r 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl
	bismeth	acrylate
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)

- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation

Causes serious eye irritation.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause drowsiness or dizziness.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 8)



Page 8/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.12.2024 Version number 4 (replaces version 3) Revision: 17.12.2024

Trade name: iBond Universal

(Contd. of page 7)

· Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

128-37-0 2,6-di-tert-butyl-p-cresol

List II

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

	-
67-64-1 acet	one
EC50/48h	8,800 mg/l (daphnia)
LC50/96h	6,210 mg/l (fish) (OECD 203)
72869-86-4 7	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl
b	oismethacrylate and the same an
EC50/48h	>1.2 mg/l (daphnia) (OECD 202)
LC50/96h	10.1 mg/l (fish) (OECD 203)
ErC50 / 72 h	>0.68 mg/l (algae) (OECD 201)

12.2 Persistence and degradability

NOEC / 72h | 0.21 mg/l (algae) (OECD 201)

67-64-1 acetone

Biodegradation 90.9 % /28d (not defined) (OECD 301D)

72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

Biodegradation 22 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
 - · Additional ecological information:
 - · General notes:

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)



Page 9/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.12.2024 Version number 4 (replaces version 3) Revision: 17.12.2024

Trade name: iBond Universal

(Contd. of page 8)

· European waste catalogue

18 01 06* chemicals consisting of or containing hazardous substances

· Uncleaned packagings:
· Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number		
· ADR, IMDG, IATA	UN1090	
14.2 UN proper shipping name · ADR	1000 ACETONE askitica	
· ADR · IMDG, IATA	1090 ACETONE solution ACETONE solution	
14.3 Transport hazard class(es)		
· ADR		
· Class · Label	3 (F1) Flammable liquids. 3	
· IMDG, IATA		
· Class	3 Flammable liquids.	
· Label	3	
14.4 Packing group · ADR, IMDG, IATA	II	
14.5 Environmental hazards: · Marine pollutant:	No	
14.6 Special precautions for user	Warning: Flammable liquids.	
Kemler Number: EMS Number:	33 F-E,S-D	
· Stowage Category	E	
14.7 Maritime transport in bulk accordin instruments	g to IMO Not applicable.	



Page 10/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.12.2024 Version number 4 (replaces version 3) Revision: 17.12.2024

Trade name: iBond Universal

(Contd. of page 9)

ADR

Limited quantities (LQ)

Excepted quantities (ÉQ)

· Transport category · Tunnel restriction code

· IMDG

Limited quantities (LQ)

· Excepted quantities (ÉQ)

tities (LQ) 1L antities (EQ) Code: E2

Maximum net quantity per inner

packaging: 30 ml

packaging: 30 ml

packaging: 500 ml

1L Code: E2

D/E

Maximum_net quantity per outer

Maximum net quantity per inner

Maximum net quantity per outer

packaging: 500 ml

· UN "Model Regulation":

UN 1090 ACETONE SOLUTION. 3. II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· Regulation (EU) No 649/2012

None of the ingredients are included.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

no information available

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

67-64-1 acetone

· Regulation (EC) No 273/2004 on drug precursors

67-64-1 acetone

3

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

67-64-1 acetone

3

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 11)



Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.12.2024

Version number 4 (replaces version 3)

Revision: 17.12.2024

Trade name: iBond Universal

(Contd. of page 10)

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Highly flammable liquid and vapour. H225

Harmful if swallowed. H302

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

Toxic to aquatic life with long lasting effects. H411

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH204 Contains isocyanates. May produce an allergic reaction.

Date of previous version: 29.06.2021

Version number of previous version: 3

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens 1: Skin sensitication – Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.