

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2022

Version number 2 (replaces version 1)

Revision: 22.11.2022

SECTION 1: Identification of the substance/mixture and of the company/
undertaking
· 1.1 Product identifier
· Trade name: dima Print Splint clear
 1.2 Relevant identified uses of the substance or mixture and uses advised against Product category PC0 Other
 Application of the substance / the mixture Manufacture of dental prothesis
• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: Kulzer GmbH Leipziger Stroke 2, 63450 Hangy (Cormony), Tel: +40 (0)800 4373533
Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)800 4372522
 Informing department: E-Mail: msds@kulzer-dental.com 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463
SECTION 2: Hazards identification
• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H335 May cause respiratory irritation.
The product is classified and labelled according to the GB CLP regulation. • Hazard pictograms GHS07
· Signal word Warning
 Hazard-determining components of labelling: Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid
phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxideHazard statementsH315 Causes skin irritation.H319 Causes serious eye irritation.H317 May cause an allergic skin reaction.H335 May cause respiratory irritation.Precautionary statementsP261P280Wear protective gloves / eye protection.P302+P352IF ON SKIN: Wash with plenty of soap and water.P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.P333+P313
P337+P313 If eye irritation persists: Get medical advice/attention. • 2.3 Other hazards -
· Results of PBT and vPvB assessment
· PBT: Not applicable. (Contd. on page 2)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2022

Version number 2 (replaces version 1)

Revision: 22.11.2022

(Contd. of page 1)

Trade name: dima Print Splint clear

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients · 3.2 Mixtures · Description: -· Dangerous components: CAS: 41637-38-1 Esterification products of 4.4'-isopropylidenediphenol. >90% EC number: 609-946-4 ethoxylated and 2-methylprop-2-enoic acid Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 Reg.nr.: 01-2119980659-17-xxx phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide CAS: 162881-26-7 ≥1-<5% ELINCS: 423-340-5 Skin Sens. 1, H317 Reg.nr.: 01-2119489401-38-xxxx Aquatic Chronic 4, H413 • Additional information For the wording of the listed hazard phrases refer to section 16. SECTION 4: First aid measures · 4.1 Description of first aid measures After inhalation Supply fresh air; consult doctor in case of symptoms. After skin contact Instantly rinse with water. If skin irritation continues, consult a doctor. After eve contact Rinse opened eye for several minutes under running water. Then consult doctor. After swallowing Rinse out mouth and then drink plenty of water. In case of persistent symptoms consult doctor. 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents CO2. Do not use water. Use fire fighting measures that suit the environment. For safety reasons unsuitable extinguishing agents Water jet. Water. · 5.2 Special hazards arising from the substance or mixture In case of fire the following can be released: Carbon dioxide (CO2) Carbon monoxide (CO) 5.3 Advice for firefighters Protective equipment: Wear self-contained breathing apparatus. Wear full protective suit. (Contd. on page 3) GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2022

Version number 2 (replaces version 1)

Revision: 22.11.2022

(Contd. of page 2)

Page 3/8

Trade name: dima Print Splint clear

· Additional information -

SECTIO	N 6: Accidental release measures
	nal precautions, protective equipment and emergency procedures
	ective equipment. Keep unprotected persons away.
	eathe vapor / mist / gas.
	tact with eyes and skin. lequate ventilation
	onmental precautions: Prevent material from reaching sewage system, holes and cellars.
· 6.3 Metho	ds and material for containment and cleaning up:
	th liquid-binding material (diatomite, universal binders, for small amounts tissues).
	e nce to other sections on 7 for information on safe handling
	on 8 for information on personal protection equipment.
	on 13 for information on disposal.
-	
	N 7: Handling and storage
	utions for safe handling od ventilation/exhaustion at the workplace.
	tact with eyes and skin.
	y from heat and direct sunlight.
· Inform	ation about protection against explosions and fires:
	gnition sources away - Do not smoke.
	t against electrostatic charges.
	tions for safe storage, including any incompatibilities
· Storag	
	<i>quirements to be met by storerooms and containers:</i> re in cool, dry place in tightly closed containers.
Pro	tect from the effects of light.
· Info	ormation about storage in one common storage facility:
	re away from oxidising agents.
	ther information about storage conditions: None.
· 7.3 Speci	fic end use(s) No further relevant information available.
SECTIO	Ne Experies controls/personal protection
SECHO	N 8: Exposure controls/personal protection
· 8.1 Contr	ol parameters
· 8.1 Contr · Comp	onents with critical values that require monitoring at the workplace:
• 8.1 Contr • Comp The pr	onents with critical values that require monitoring at the workplace: oduct does not contain any relevant quantities of materials with critical values that have to
• 8.1 Contr • Comp The pr be mor	onents with critical values that require monitoring at the workplace: oduct does not contain any relevant quantities of materials with critical values that have to nitored at the workplace.
• 8.1 Contr • Comp The pr be mor Not red	conents with critical values that require monitoring at the workplace: oduct does not contain any relevant quantities of materials with critical values that have to nitored at the workplace. guired.
8.1 Contr Comp The pr be moi Not rec DN	onents with critical values that require monitoring at the workplace: oduct does not contain any relevant quantities of materials with critical values that have to nitored at the workplace. guired. ELs
8.1 Contro Comport The properties of the mone Not reconstruction DN 41637-38-	onents with critical values that require monitoring at the workplace: oduct does not contain any relevant quantities of materials with critical values that have to nitored at the workplace. quired. ELs 1 Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2- methylprop-2-enoic acid
8.1 Contr Comp The pr be moi Not rec DN	onents with critical values that require monitoring at the workplace: oduct does not contain any relevant quantities of materials with critical values that have to intored at the workplace. guired. ELs 1 Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2- methylprop-2-enoic acid worker industrial, long term, systemic 2 mg/Kg/d (not defined)
• 8.1 Contr • Comp The pr be moi Not rec • DN 41637-38• Dermal	onents with critical values that require monitoring at the workplace: oduct does not contain any relevant quantities of materials with critical values that have to intored at the workplace. quired. ELs 1 Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2- methylprop-2-enoic acid worker industrial, long term, systemic 2 mg/Kg/d (not defined) general population, long term, systemic 1 mg/Kg/d (not defined)
8.1 Contr Comp The pr be moi Not red DN 41637-38	onents with critical values that require monitoring at the workplace: oduct does not contain any relevant quantities of materials with critical values that have to itored at the workplace. quired. ELs 1 Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2- methylprop-2-enoic acid worker industrial, long term, systemic 2 mg/Kg/d (not defined) general population, long term, systemic 1 mg/Kg/d (not defined) worker industrial, long term, systemic 3.52 mg/m3 (not defined)
8.1 Contr Comp The pr be moi Not rec DN 41637-38	onents with critical values that require monitoring at the workplace: oduct does not contain any relevant quantities of materials with critical values that have to intored at the workplace. quired. ELs 1 Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2- methylprop-2-enoic acid worker industrial, long term, systemic 2 mg/Kg/d (not defined) general population, long term, systemic 1 mg/Kg/d (not defined)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2022

Version number 2 (replaces version 1)

Revision: 22.11.2022

Trade name: dima Print Splint clear

(Contd. of page 3) • Additional information: The lists that were valid during the compilation were used as basis. · 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. · Breathing equipment: Not necessary if room is well-ventilated. Filter P2. · Hand protection If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization. Solvent resistant gloves Check protective gloves prior to each use for their proper condition. recommended Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable: Butyl rubber, BR Nitrile rubber, NBR · Eye/face protection Tightly sealed safety glasses. · Body protection: Light weight protective clothing SECTION 9: Physical and chemical properties

Not determined.	
Not determined.	
methylprop-2-enoic acid)	
4,4'-isopropylidenediphenol, ethoxylated and 2	
211 °C (41637-38-1 Esterification products o	
Not determined.	
Not determined.	
Not applicable.	
Not determined	
Not determined	
Not determined.	
Ester-like	
Clear	
Fluid	



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2022

Version number 2 (replaces version 1)

Revision: 22.11.2022

Trade name: dima Print Splint clear

	(Contd. of page
· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic at 20 °C:	0.4-1.5 mPas
· Solubility	
· Water:	Not miscible or difficult to mix
· Partition coefficient n-octanol/water (log	
value)	Not determined.
· Steam pressure:	Not determined.
· Density and/or relative density	Not determined.
· Density at 20 °C	1.1 g/cm ³
· Relative density	Not determined.
	Not determined.
· Vapour density	Not determined.
	urther relevant information available.
· Appearance:	
Form:	Fluid
 Important information on protection of 	
health and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
• Explosive properties:	Product is not explosive.
· Solvent content:	
· Solids content:	0.0 %
· Change in condition	0.0 /8
Evaporation rate	Not determined.
•	Not determined.
 Information with regard to physical hazard 	
classes	
[.] Explosives	Void
Flammable gases	Void
· Aerosols	Void
 Oxidising gases 	Void
[.] Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
Substances and mixtures, which emit	VOID
	Void
flammable gases in contact with water	
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
	Void
Corrosive to metals Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.
 10.2 Chemical stability
 Conditions to be avoided: Protect from heat and direct sunlight.

• **10.3 Possibility of hazardous reactions** Polymerisation • **10.4 Conditions to avoid** Heat, flames and sparks.

• 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6) GB



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31


Printing date 22.11.2022

Version number 2 (replaces version 1)

Revision: 22.11.2022

Trade name: dima Print Splint clear

• 10.6 Hazardous decomposition products: None • Additional information: -



12.1 Toxic	
	: toxicity:
41037-38-1	l Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2 methylprop-2-enoic acid
LL50/96h	100 mg/L (fish)
EL50/48h	6 mg/L (daphnia) (OECD 202)
EL50/72h	100 mg/L (algae) (OECD 201)
162881-26	-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide
EC50/72h	>0.26 mg/l (algae) (OECD 201)
EC50/48h	>1.175 mg/l (daphnia) (OECD 202)
LC50/96h	>0.09 mg/l (fish) (OESO 203)
· 12.3 Bioac · 12.4 Mobil · 12.5 Resul · PBT: N	stence and degradability No further relevant information available. cumulative potential No further relevant information available. ity in soil No further relevant information available. its of PBT and vPvB assessment ot applicable. Not applicable.

(Contd. of page 5)

GB



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2022

Version number 2 (replaces version 1)

Revision: 22.11.2022

(Contd. of page 6)

Trade name: dima Print Splint clear

· 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- 12.7 Other adverse effects
 - Additional ecological information:
 - · General notes:

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information · 14.1 UN number or ID number · ADR. ADN. IMDG. IATA Void • 14.2 UN proper shipping name ADR, ADN, IMDG, IATA Void · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class Void [·] 14.4 Packing group · ADR, IMĎĞ, IAŤA Void · 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Not applicable. · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: Void • UN "Model Regulation":

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

GB



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.11.2022

Version number 2 (replaces version 1)

Revision: 22.11.2022

Trade name: dima Print Splint clear

(Contd. of page 7)

These data are based on our r	present knowledge. However, they shall not constitute a guarantee
	nd shall not establish a legally valid contractual relationship.
Relevant phrases	······································
H315 Causes skin irritati	ion.
H317 May cause an alle	raic skin reaction.
H319 Causes serious ey	
H335 May cause respira	
	sting harmful effects to aquatic life.
Abbreviations and acrony	
SADT: Self Accelerating Decompo	psition Temperature
ADR: Accord relatif au transpo	rt international des marchandises dangereuses par route (European Agreen
Concerning the International Carrie	age of Dangerous Goods by Road)
IMDG: International Maritime Code IATA: International Air Transport A	
	n of Classification and Labelling of Chemicals
EINECS: European Inventory of E	xisting Commercial Chemical Šubstances
ELINCS: European List of Notified	
DNEL: Derived No-Effect Level (U	(division of the American Chemical Society)
LC50: Lethal concentration, 50 per	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative	
vPvB: very Persistent and very Bid	
Skin Irrit. 2: Skin corrosion/irritation Eye Irrit. 2: Serious eye damage/e	
Skin Sens. 1: Skin sensitisation –	
STOT SE 3: Specific target organ	toxicity (single exposure) – Category 3
Aquatic Chronic 4: Hazardous to the pr	he aquatic environment - long-term aquatic hazard – Category 4