



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 22.11.2022

Version number 1

Revision: 22.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
 - Trade name: **dima Print Stone teal**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.



 - **Application of the substance / the mixture** Manufacture of dental prothesis
- **1.3 Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**
Kulzer GmbH
Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)800 4372522
 - **Informing department:** E-Mail: msds@kulzer-dental.com
- **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
 - **Classification according to Regulation (EC) No 1272/2008**

Skin Sens. 1 H317 May cause an allergic skin reaction.
Repr. 2 H361d Suspected of damaging the unborn child.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
- **2.2 Label elements**
 - **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

 - **Hazard pictograms**

GHS07 GHS08
 - **Signal word** Warning
 - **Hazard-determining components of labelling:**
2-phenoxyethyl methacrylate
phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide
 - **Hazard statements**
H317 May cause an allergic skin reaction.
H361d Suspected of damaging the unborn child.
H412 Harmful to aquatic life with long lasting effects.
 - **Precautionary statements**
P280 Wear protective gloves / eye protection.
P280 Wear protective clothing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P405 Store locked up.
- **2.3 Other hazards -**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.

(Contd. on page 2)

GB



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.11.2022

Version number 1

Revision: 22.11.2022

Trade name: dima Print Stone teal

· **vPvB:** Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** -

· **Dangerous components:**

CAS: 10595-06-9 EINECS: 234-201-1 Reg.nr.: 01-2120752383-55-xxxx	2-phenoxyethyl methacrylate Repr. 2, H361d Aquatic Chronic 2, H411 Skin Sens. 1A, H317	≥10-<25%
CAS: 162881-26-7 ELINCS: 423-340-5 Reg.nr.: 01-2119489401-38-xxxx	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide Skin Sens. 1A, H317 Aquatic Chronic 4, H413	≥1-≤5%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **After inhalation** Supply fresh air; consult doctor in case of symptoms.

· **After skin contact** If skin irritation continues, consult a doctor.

· **After eye contact**

Rinse opened eye for several minutes under running water. Then consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed** Allergic reactions

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents**

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
Use fire fighting measures that suit the environment.

· **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

· **5.3 Advice for firefighters**

· **Protective equipment:** No special measures required.

· **Additional information** -

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:** Do not allow to enter drainage system, surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Dispose of the material collected according to regulations.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

(Contd. on page 3)



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 22.11.2022

Version number 1

Revision: 22.11.2022

Trade name: dima Print Stone teal

(Contd. of page 2)

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
 - **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
 - **Storage**
 - **Requirements to be met by storerooms and containers:** Protect from the effects of light.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
 - **Components with critical values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Not required.

· **DNELs**

123-31-9 1,4-dihydroxybenzene

Oral	general population, long term, systemic	0.6 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	3.33 mg/Kg/d (not defined)
	general population, long term, systemic	1.66 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	2.1 mg/m3 (not defined)
	general population, long term, systemic	1.05 mg/m3 (not defined)

· **PNECs**

123-31-9 1,4-dihydroxybenzene

freshwater	0.00057 mg/l (not defined)
marine water	0.000057 mg/l (not defined)
sewage treatment plant	0.71 mg/l (not defined)
sediment, dry weight, freshwater	0.0049 mg/Kg (not defined)
sediment, dry weight, marine water	0.00049 mg/Kg (not defined)
soil, dry weight	0.00064 mg/Kg (not defined)

· **Additional information:** The lists that were valid during the compilation were used as basis.

- **8.2 Exposure controls**
 - **Individual protection measures, such as personal protective equipment**
 - **General protective and hygienic measures**
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.
 - **Breathing equipment:** Filter P2.
 - **Hand protection**
If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.
Solvent resistant gloves

(Contd. on page 4)



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 22.11.2022

Version number 1

Revision: 22.11.2022

Trade name: dima Print Stone teal

(Contd. of page 3)

Check protective gloves prior to each use for their proper condition.
recommended

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**
Butyl rubber, BR
Nitrile rubber, NBR
- **Eye/face protection** Tightly sealed safety glasses.
- **Body protection:** Light weight protective clothing

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

- | | |
|-------------------------------------------------------------------|----------------------------------|
| · Physical state | Fluid |
| · Colour: | Blue |
| · Smell: | Benzen-like |
| · Odour threshold: | Not determined. |
| · Melting point/freezing point: | Not determined |
| · Boiling point or initial boiling point and boiling range | Not determined |
| · Flammability | Not applicable. |
| · Lower and upper explosion limit | |
| · Lower: | Not determined. |
| · Upper: | Not determined. |
| · Flash point: | 100 °C |
| · Ignition temperature: | Not determined. |
| · Decomposition temperature: | Not determined. |
| · SADT | |
| · pH | Not determined. |
| · Viscosity: | |
| · Kinematic viscosity | Not determined. |
| · dynamic: | Not determined. |
| · Solubility | |
| · Water: | Not miscible or difficult to mix |
| · Partition coefficient n-octanol/water (log value) | Not determined. |
| · Steam pressure: | Not determined. |
| · Density and/or relative density | |
| · Density | Not determined |
| · Relative density | Not determined. |
| · Vapour density | Not determined. |

· **9.2 Other information**

No further relevant information available.

- **Appearance:**
- **Form:**

Fluid

(Contd. on page 5)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.11.2022

Version number 1

Revision: 22.11.2022

Trade name: dima Print Stone teal

(Contd. of page 4)

· Important information on protection of health and environment, and on safety.

- **Self-inflammability:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive.
Not determined.
- **Solvent content:**
- **Water:** 0.0 %
- **Solids content:** 0.0 %
- **Change in condition**
- **Evaporation rate** Not determined.

· Information with regard to physical hazard classes

- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
 - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**
 - Photoreactive
 - Polymerisation
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** None
 - **Additional information:** -

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

10595-06-9 2-phenoxyethyl methacrylate

Oral	LD50	>5,000 mg/kg (rat)
------	------	--------------------

(Contd. on page 6)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.11.2022

Version number 1

Revision: 22.11.2022

Trade name: dima Print Stone teal

(Contd. of page 5)

Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)
162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide		
Oral	LD50	>2,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)
123-31-9 1,4-dihydroxybenzene		
Oral	LD50	>375 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rabbit) (OECD 402)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation**
May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.

· Reproductive toxicity		
10595-06-9 2-phenoxyethyl methacrylate		
Oral	NOAEL (parental toxicity)	300 mg/kg/d (rat) (OECD 422)
	NOAEL (Fertility)	800 mg/kg/d (rat) (OECD 422)
162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide		
Oral	NOAEL (parental toxicity)	>1,000 mg/kg/d (rat)

- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
 - **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
Repr. 2

· **11.2 Information on other hazards**

· Endocrine disrupting properties
None of the ingredients is listed.

SECTION 12: Ecological information

· **12.1 Toxicity**

· Aquatic toxicity:	
10595-06-9 2-phenoxyethyl methacrylate	
EC50/48h	1.21 mg/l (daphnia)
LC50/96h	10 mg/l (fish)
ErC50 / 72 h	4.4 mg/l (algae)
162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	
EC50/72h	>0.26 mg/l (algae) (OECD 201)
EC50/48h	>1.175 mg/l (daphnia) (OECD 202)
LC50/96h	>0.09 mg/l (fish) (OESO 203)
123-31-9 1,4-dihydroxybenzene	
EC50/48h	0.134 mg/l (daphnia) (OECD 202)
LC50/96h	0.638 mg/l (fish) (OECD 203)
ErC50 / 72 h	0.33 mg/l (algae) (OECD 201)
NOEC / 48h	0.095 mg/l (daphnia) (OECD 202)

(Contd. on page 7)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.11.2022

Version number 1

Revision: 22.11.2022

Trade name: dima Print Stone teal

(Contd. of page 6)

· **12.2 Persistence and degradability**

123-31-9 1,4-dihydroxybenzene

Biodegradation 70 % /14d (not defined) (OECD 301C)

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:**

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA**

Void

· **14.2 UN proper shipping name**

· **ADR, ADN, IMDG, IATA**

Void

· **14.3 Transport hazard class(es)**

· **ADR, ADN, IMDG, IATA**

· **Class**

Void

· **14.4 Packing group**

· **ADR, IMDG, IATA**

Void

· **14.5 Environmental hazards:**

Not applicable.

· **14.6 Special precautions for user**

Not applicable.

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· **Transport/Additional information:**

-

· **UN "Model Regulation":**

Void

GB
(Contd. on page 8)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.11.2022

Version number 1

Revision: 22.11.2022

Trade name: dima Print Stone teal

(Contd. of page 7)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - **Directive 2012/18/EU**
 - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
 - H317 *May cause an allergic skin reaction.*
 - H361d *Suspected of damaging the unborn child.*
 - H411 *Toxic to aquatic life with long lasting effects.*
 - H413 *May cause long lasting harmful effects to aquatic life.*
- **Abbreviations and acronyms:**
 - SADT: Self Accelerating Decomposition Temperature
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - DNEL: Derived No-Effect Level (UK REACH)
 - PNEC: Predicted No-Effect Concentration (UK REACH)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - Skin Sens. 1: Skin sensitisation – Category 1
 - Skin Sens. 1A: Skin sensitisation – Category 1A
 - Repr. 2: Reproductive toxicity – Category 2
 - Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
 - Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
 - Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4
- *** Data compared to the previous version altered.**